

Model	Brand	Product Name	Style	U-factor (W/m <sup>2</sup> - K)	SHGC	ER	ENERGY STAR Zone(s)	ES ME 2018?	Glazing	NRCan Reference	U-factor (Btu/h/ft <sup>2</sup> - °F)	VT	AL
FWD-M-1-00068-00001-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Fixed (Picture)	0.85	0.47	49	1 2 3	Y	3	NR6792-11817656-ES	0.15	0.58	0.02
FWD-M-1-00073-00002-1	Fibertec	3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Fixed (Picture)	0.85	0.44	47	1 2 3	Y	3	NR6792-11817667-ES	0.15	0.52	0.02
FWD-M-1-00069-00001-1	Fibertec	3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Fixed (Picture)	0.85	0.3	39	1 2 3	Y	3	NR6792-11817658-ES	0.15	0.48	0.02
FWD-M-1-00069-00002-1	Fibertec	3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Fixed (Picture)	0.85	0.27	37	1 2 3	Y	3	NR6792-11817659-ES	0.15	0.43	0.02
FWD-M-1-00068-00002-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Fixed (Picture)	0.85	0.43	46	1 2 3	Y	3	NR6792-11817657-ES	0.15	0.52	0.02
FWD-M-1-00073-00001-1	Fibertec	3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Fixed (Picture)	0.85	0.49	50	1 2 3	Y	3	NR6792-11817666-ES	0.15	0.58	0.02
FWD-M-1-00076-00001-1	Fibertec	3 mm LoE <sup>2</sup> 272/AIR/3 mm Clear/AIR/3 mm LoE <sup>2</sup> 272	Fixed (Picture)	0.97	0.3	36	1 2 3	Y	3	NR6792-11817672-ES	0.17	0.48	0.02
FWD-M-1-00076-00002-1	Fibertec	3 mm LoE <sup>2</sup> 272/AIR/3 mm Clear/AIR/3 mm LoE <sup>2</sup> 272	Fixed (Picture)	0.97	0.27	34	1 2 3	Y	3	NR6792-11817673-ES	0.17	0.43	0.02
FWD-M-1-00074-00001-1	Fibertec	3 mm Clear/AIR/3 mm LoE 180/AIR/3 mm LoE 180	Fixed (Picture)	1.02	0.49	46	1 2 3	Y	3	NR6792-11817668-ES	0.18	0.58	0.02
FWD-M-1-00074-00002-1	Fibertec	3 mm Clear/AIR/3 mm LoE 180/AIR/3 mm LoE 180	Fixed (Picture)	1.02	0.44	43	1 2 3	Y	3	NR6792-11817669-ES	0.18	0.52	0.02
FWD-M-3-00109-00001-1	Fibertec	Rectangular grid 3 mm LoE <sup>2</sup> 272/ARG/3 mm LoE 180/ARG/3 mm i89	Awning (Double)	1.02	0.24	31	1 2 3	Y	3	NR6792-11817591-ES	0.18	0.39	0.075
FWD-M-2-00087-00001-1	Fibertec	Rectangular grid 3 mm LoE <sup>2</sup> 272/ARG/3 mm LoE 180/ARG/3 mm i89	Casement (single)	1.02	0.24	31	1 2 3	Y	3	NR6792-11817635-ES	0.18	0.39	0.06
FWD-M-1-00079-00002-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Fixed (Picture)	1.02	0.46	44	1 2 3	Y	3	NR6792-11817679-ES	0.18	0.49	0.02
FWD-M-1-00079-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Fixed (Picture)	1.02	0.51	47	1 2 3	Y	3	NR6792-11817678-ES	0.18	0.55	0.02
FWD-M-2-00070-00001-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Casement (single)	1.08	0.4	39	1 2 3	Y	3	NR6792-11817615-ES	0.19	0.49	0.06
FWD-M-3-00093-00001-1	Fibertec	3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Awning (Double)	1.08	0.25	31	1 2 3	Y	3	NR6792-11817572-ES	0.19	0.4	0.075
FWD-M-3-00092-00001-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Awning (Double)	1.08	0.4	39	1 2 3	Y	3	NR6792-11817571-ES	0.19	0.49	0.075

FWD-M-2-00088-00001-1	Fibertec	Rectangular grid 3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Casement (single)	1.08	0.37	38	1 2 3	Y	3	NR6792-11817636-ES	0.19	0.44	0.06
FWD-M-2-00086-00001-1	Fibertec	Rectangular grid 3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Casement (single)	1.08	0.23	29	1 2 3	Y	3	NR6792-11817634-ES	0.19	0.36	0.06
FWD-M-2-00071-00001-1	Fibertec	3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Casement (single)	1.08	0.25	31	1 2 3	Y	3	NR6792-11817616-ES	0.19	0.4	0.06
FWD-M-3-00107-00001-1	Fibertec	Rectangular grid 3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Awning (Double)	1.08	0.36	37	1 2 3	Y	3	NR6792-11817589-ES	0.19	0.44	0.075
FWD-M-2-00085-00001-1	Fibertec	Rectangular grid 3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm LoE 180	Casement (single)	1.08	0.36	37	1 2 3	Y	3	NR6792-11817633-ES	0.19	0.44	0.06
FWD-M-3-00097-00001-1	Fibertec	3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Awning (Double)	1.08	0.41	40	1 2 3	Y	3	NR6792-11817578-ES	0.19	0.49	0.075
FWD-M-3-00108-00001-1	Fibertec	Rectangular grid 3 mm LoE <sup>2</sup> 272/ARG/3 mm Clear/ARG/3 mm LoE <sup>2</sup> 272	Awning (Double)	1.08	0.23	29	1 2 3	Y	3	NR6792-11817590-ES	0.19	0.36	0.075
FWD-M-2-00075-00001-1	Fibertec	3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Casement (single)	1.08	0.41	40	1 2 3	Y	3	NR6792-11817622-ES	0.19	0.49	0.06
FWD-M-3-00110-00001-1	Fibertec	Rectangular grid 3 mm Clear/ARG/3 mm LoE 180/ARG/3 mm LoE 180	Awning (Double)	1.08	0.37	38	1 2 3	Y	3	NR6792-11817592-ES	0.19	0.44	0.075
FWD-M-1-00080-00002-1	Fibertec	3 mm Clear/AIR/3 mm Energy Advantage /AIR/3 mm Energy Advantage	Fixed (Picture)	1.14	0.47	42	1 2 3	Y	3	NR6792-11817681-ES	0.2	0.49	0.02
FWD-M-1-00080-00001-1	Fibertec	3 mm Clear/AIR/3 mm Energy Advantage /AIR/3 mm Energy Advantage	Fixed (Picture)	1.14	0.52	45	1 2 3	Y	3	NR6792-11817680-ES	0.2	0.55	0.02
FWD-M-3-00098-00001-1	Fibertec	3 mm Clear/AIR/3 mm LoE 180/AIR/3 mm LoE 180	Awning (Double)	1.19	0.41	37	1 2 3	Y	3	NR6792-11817579-ES	0.21	0.49	0.075
FWD-M-3-00103-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Awning (Double)	1.19	0.43	39	1 2 3	Y	3	NR6792-11817585-ES	0.21	0.46	0.075
FWD-M-3-00115-00001-1	Fibertec	Rectangular grid 3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Awning (Double)	1.19	0.39	36	1 2 3	Y	3	NR6792-11817597-ES	0.21	0.42	0.075
FWD-M-1-00067-00002-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm Clear	Fixed (Picture)	1.19	0.45	40	1 2 3	Y	3	NR6792-11817655-ES	0.21	0.54	0.02
FWD-M-1-00067-00001-1	Fibertec	3 mm LoE 180/ARG/3 mm Clear/ARG/3 mm Clear	Fixed (Picture)	1.19	0.5	43	1 2 3	Y	3	NR6792-11817654-ES	0.21	0.6	0.02
FWD-M-2-00076-00001-1	Fibertec	3 mm Clear/AIR/3 mm LoE 180/AIR/3 mm LoE 180	Casement (single)	1.19	0.41	37	1 2 3	Y	3	NR6792-11817623-ES	0.21	0.49	0.06
FWD-M-2-00081-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Casement (single)	1.19	0.43	39	1 2 3	Y	3	NR6792-11817629-ES	0.21	0.46	0.06

FWD-M-2-00093-00001-1	Fibertec	Rectangular grid 3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Energy Advantage	Casement (single)	1.19	0.39	36	1 2 3	Y	3	NR6792-11817641-ES	0.21	0.42	0.06
FWD-M-1-00078-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Clear	Fixed (Picture)	1.25	0.53	43	1 2 3	Y	3	NR6792-11817676-ES	0.22	0.59	0.02
FWD-M-1-00075-00002-1	Fibertec	3 mm Clear/AIR/3 mm Clear/AIR/3 mm LoE 180	Fixed (Picture)	1.25	0.45	39	1 2 3	Y	3	NR6792-11817671-ES	0.22	0.54	0.02
FWD-M-1-00078-00002-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Clear	Fixed (Picture)	1.25	0.48	40	1 2 3	Y	3	NR6792-11817677-ES	0.22	0.53	0.02
FWD-M-2-00082-00001-1	Fibertec	3 mm Clear/AIR/3 mm Energy Advantage /AIR/3 mm Energy Advantage	Casement (single)	1.31	0.44	37	1 2 3	Y	3	NR6792-11817630-ES	0.23	0.46	0.06
FWD-M-3-00104-00001-1	Fibertec	3 mm Clear/AIR/3 mm Energy Advantage /AIR/3 mm Energy Advantage	Awning (Double)	1.31	0.44	37	1 2 3	Y	3	NR6792-11817586-ES	0.23	0.46	0.075
FWD-M-1-00081-00002-1	Fibertec	3 mm Clear/AIR/3 mm Clear/AIR/3 mm Energy Advantage	Fixed (Picture)	1.36	0.48	38	1 2 3	Y	3	NR6792-11817683-ES	0.24	0.53	0.02
FWD-M-2-00080-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Clear	Casement (single)	1.36	0.45	36	1 2 3	Y	3	NR6792-11817628-ES	0.24	0.49	0.06
FWD-M-3-00102-00001-1	Fibertec	3 mm Energy Advantage /ARG/3 mm Clear/ARG/3 mm Clear	Awning (Double)	1.36	0.45	36	1 2 3	Y	3	NR6792-11817584-ES	0.24	0.49	0.075