FIBERTEC™ Window & Door Mfg.

300 Series Awning

NFRC (USA) U-VALUE, SHGC, VT VALUE

Report # ESP029594P-1

ENERGY STAR PARTNER

NFRC National Fenestration Rating Council

	Total Product U-Value	Total Product SHGC	Total Product VT
Double glaze, 1 Low E (LOF), Arg, S/S	0.30	0.49	0.54
Surface # 2			
Double glaze, 1 Low E (LOF), Air, S/S	0.33	0.49	0.54
Surface # 2			
Double glaze, 1 Low E (180), Arg, S/S	0.28	0.46	0.56
Surface # 2			
Double glaze, 1 Low E (180), Air, S/S	0.31	0.46	0.56
Surface # 2			
Double glaze, 1 Low E (272), Arg, S/S	0.27	0.30	0.51
Surface # 2			
Double glaze, 1 Low E (272), Air, S/S	0.30	0.30	0.51
Surface # 2			
Double glaze, 1 Low E (366), Air, S/S	0.30	0.20	0.46
Surface # 2			
Double glaze, 2 Low E (272+i89), Arg, S/S	0.24	0.29	0.50
Surface # 2 & 4			
Triple glaze, 2 Low E (LOF), 2 Arg, S/S	0.20	0.43	0.47
Surface # 2 & 5			
Triple glaze, 2 Low E (LOF), 2 Air, S/S	0.21	0.43	0.47
Surface # 2 & 5			
Triple glaze, 1 Low E (180), Arg, S/S	0.22	0.42	0.51
Surface # 2			
Triple glaze, 2 Low E (180), Arg, S/S	0.18	0.40	0.49
Surface # 2 & 5			
Triple glaze, 2 Low E (180), Air, S/S	0.20	0.40	0.49
Surface # 2 & 5			
Triple glaze, 2 Low E (272), Arg, S/S	0.17	0.25	0.40
Surface # 2 & 5			
Triple glaze, 2 Low E (272), Air, S/S	0.19	0.25	0.40
Surface # 2 & 5			
Triple glaze, 3 Low E (272+272+i89), Arg, S/S	0.16	0.23	0.40
Surface # 2,4 & 6			