FIBERTEC™ Window & Door Mfg.

300 Series Fixed

NFRC (USA) U-VALUE, SHGC, VT VALUE

Report # ESP029594P-2

ENERGY STAR PARTNER

NFRC National Fenestration Rating Council

	Total Product U-Value	Total Product SHGC	Total Product VT
Double glaze, 1 Low E (LOF), Arg, S/S	0.30	0.58	0.65
Surface # 2			
Double glaze, 1 Low E (LOF), Air, S/S	0.33	0.58	0.65
Surface # 2			
Double glaze, 1 Low E (180), Arg, S/S	0.27	0.54	0.67
Surface # 2			
Double glaze, 1 Low E (180), Air, S/S	0.31	0.55	0.67
Surface # 2			
Double glaze, 1 Low E (272), Arg, S/S	0.26	0.35	0.61
Surface # 2			
Double glaze, 1 Low E (272), Air, S/S	0.30	0.35	0.61
Surface # 2			
Double glaze, 1 Low E (366), Air, S/S	0.30	0.23	0.54
Surface # 2			
Double glaze, 2 Low E (272+i89), Arg, S/S	0.22	0.34	0.59
Surface # 2 & 4			
Triple glaze, 2 Low E (LOF), 2 Arg, S/S	0.17	0.51	0.56
Surface # 2 & 5			
Triple glaze, 2 Low E (LOF), 2 Air, S/S	0.19	0.51	0.56
Surface # 2 & 5			
Triple glaze, 1 Low E (180), Arg, S/S	0.20	0.50	0.61
Surface # 2			
Triple glaze, 2 Low E (180), Arg, S/S	0.15	0.47	0.59
Surface # 2 & 5			
Triple glaze, 2 Low E (180), Air, S/S	0.17	0.47	0.59
Surface # 2 & 5			
Triple glaze, 2 Low E (272), Arg, S/S	0.14	0.30	0.48
Surface # 2 & 5			
Triple glaze, 2 Low E (272), Air, S/S	0.17	0.30	0.48
Surface # 2 & 5			
Triple glaze, 3 Low E (272+272+i89), Arg, S/S	0.13	0.27	0.47
Surface # 2,4 & 6			